product datasheet arralis.com

# SPDT Scottky Diode

## Ka-SPDT-1829 Previously named LE-Ka1401507 GaAs Diode, SPDT 18-29 GHz

#### **Overview**

Ka-SPDT-1829 is a SPDT Schottky diode based switch that covers frequencies from 18GHz to 29GHz with very low loss (2dB) when closed and isolation greater than 10dB when open.

All bond pads and the die backside are gold plated. This MMIC MMIC is compatible with conventional die attach methods, as well as thermo-compression and thermosonic wire bonding, making it ideal for MCM and hybrid microcircuit applications. All data shown herein is provisional and is measured with the chip in a 50 ohm environment and contacted with RF probes.

#### Features

- 18 29 GHz.
- 2 dB insertion loss.
- 10 dB isolation.
- 10 dB return loss (closed).

### Applications

- Millimetre-wave imaging.
- Automotive radar.
- High resolution radar.
- Sensing.
- P2P communications;
- Short haul / high capacity / low interference links.
- Medical.

Arralis         Ka band Datasheet         Ka-SPDT-1829         Issue date: 30 A	April 21 DOC REV 3 Page 1 of 8
---	--------------------------------

Parameter	Min.	Тур.	Max.	Units	Notes
Frequency	18		29	GHz	
Insertion Loss		2		dB	Biased at -2V, 0mA closed Biased at +2V, 10mA open
Isolation	10	15		dB	Biased at -2V, 0mA closed Biased at +2V, 10mA open
Return Loss (Open)		3		dB	
Return Loss (Closed)	8	10		dB	
Closed Voltage		-2		V	
Open Voltage		+2		V	
Closed Current		0		mA	
Open Current		10		mA	

# **Specification Overview**

# **Absolute Maximum Ratings**

Parameter	Rating
Control Voltage	-3V to +3V
RF Power	20dBm
Storage Temperature	-65°C to +150°C
Channel Temperature	+175°C
Operating Temperature	-40°C to +85°C

#### Notes


The tests indicated have all been performed with 100pF de-coupling capacitors on all Vc pads. All tests are carried out at 25°C.



ESD (electrostatic discharge) sensitive device. Charged devices and circuit boards can discharge without detection. Although this product features proprietary protection circuitry, damage may occur on devices subjected to ESD. Proper ESD precautions should be taken to avoid performance degradation or loss of functionality.

Arralis         Ka band Datasheet         Ka-SPDT-1829         Issue date: 30 April 21         DOC REV 3         Page 2	f 8
---	-----

GaAs Diode, SPDT 18-29GHz product datasheet




# **Measured Performance Data**

Arralis	Ka band Datasheet	Ka-SPDT-1829	Issue date: 30 April 21	DOC REV 3	Page 3 of 8
---------	-------------------	--------------	-------------------------	-----------	-------------

www.arralis.com

GaAs Diode, SPDT 18-29GHz product datasheet




## **Measured Performance Data**

 Arralis
 Ka band Datasheet
 Ka-SPDT-1829
 Issue date: 30 April 21
 DOC REV 3
 Page 4 of 8

GaAs Diode, SPDT 18-29GHz product datasheet

# Outline Drawing



#### Notes

- 1. All dimensions are in um.
- 2. RF bond pads are 86 x 105um.
- 3. All DC bond pads are 86 x 83um.
- 4. Gold backside metalisation.
- 5. Backside metal is ground.
- 6. Die thickness is 100um.

#### **Die Packing Information**


All die are delivered using gel-paks unless otherwise requested.

Arralis Ka band Datasheet Ka-SPDT-1829	Issue date: 30 April 21	DOC REV 3	Page 5 of 8	
--	-------------------------	-----------	-------------	--

# **Pad Descriptions**

Name	Description			
RFIN	Common RF input pad. This pad is AC coupled.			
OUTX	RF output pad for branch X. This pad is AC coupled.			
VDX	This is DC control voltage pad for branch X.			
воттом	The die backside must be connected to RF/DC ground.			

# **General Notes on Assembly**



#### General Notes on Assembly

Die should be mounted on conductive material such as gold-plated metal to provide a good ground and suitable heat sink, if necessary.

- Attaching the die using Au/Sn preforms is preferable. The Eutectic melt for Au/ Sn occurs at approximately 280°C so the die (plus mount and preform) is initially heated up to 180°C and then it is heated for approximately 10 seconds to 280°C using a nitrogen heat gun. The device will survive 10 seconds at this temperature. The static breakdown for GaAs devices is approximately 330°C.
- 2. Pure, dry nitrogen should be used as the heat source.
- If the devices cannot be lifted/ placed by a vacuum device, then ESD die-lifting tweezers are preferable.
- 4. Aluminium wire must not be used.

#### Disclaimer

The information contained herein is believed to be reliable; however, Arralis makes no warranties regarding the information and assumes no responsibility or liability whatsoever for the use of the information contained herein. All information is subject to change without notice, therefore customers should obtain the latest relevant information before placing orders for Arralis products. The information contained herein does not grant, explicitly or implicitly, to any party any patent rights, licenses, or any other intellectual property rights.

This information does not constitute a warranty with respect to the product described, and Arralis disclaims any and all warranties either expressed or implied, relating to sale and/or use of Arralis products including liability or warranties relating to fitness for a particular purpose, consequential or incidental damages, merchantability, or infringement of any patent, copyright or other intellectual property right.

Without limiting the generality of the foregoing, Arralis products are not warranted or authorised for use as critical components in medical, life-saving, or life-sustaining applications, or other applications where a failure would reasonably be expected to cause severe personal injury or death.

Copyright 2021 © Arralis

Arralis Ka band Datasheet	Ka-SPDT-1829	Issue date: 30 April 21	DOC REV 3	Page 7 of 8
---------------------------	--------------	-------------------------	-----------	-------------

©2021 Arralis Ltd. All rights reserved. Trademarks and registered trademarks are the property of their respective owners.

 Arralis European Offices
 Arralis USA Office

 t: +(44) 1793 239670 (UK)
 +(1) 386 301 3249 (USA)

 e: sales@arralis.com
 arralis.com

 e: sales@arralis.com
 e: emilie.wren@arralis.com